

Central African Republic

Medical Summary

The health risk information presented here is summarized from Shoreland Travax[®], a decision-support tool used by health care providers to perform a detailed health risk analysis based on specific locations, individual travel styles, and traveler risk behaviors. Travax provides practitioners current, independently researched malaria risk and prevention recommendations in a map-based format that goes beyond the annual WHO and US CDC statements included here. Not included here are current reports from Travax of disease outbreaks or environmental events that may pose elevated risks to travelers' health and safety. The Providers section of this site offers a directory of health care providers who utilize Shoreland Travax for travel health counseling. Learn more about the detailed reports and maps available from these practitioners (includes links to samples).

General Information

The Central African Republic is a developing nation classified as low income. Located in central Africa (south of Chad and north of Democratic Republic of Congo), the climate is classified as predominantly humid equatorial (long dry season).

Vaccinations

Yellow Fever

- **Requirement:** A certificate proving yellow fever vaccination is required for all travelers aged ≥ 9 months.
- **Official Status:** listed by WHO as a country where YF transmission risk is present.

Other Vaccines

Depending on your itinerary, your personal risk factors, and the length of your visit, your health care provider may offer you vaccination against COVID-19, Ebola virus disease, hepatitis A, hepatitis B, influenza, measles, mumps, rubella, meningococcal meningitis, mpox, rabies, typhoid fever, or a one time polio booster if you haven't previously received one for travel. Routine immunizations, such as those that prevent tetanus/diphtheria or "childhood" diseases, should be reviewed and updated as needed.

Malaria

The following is current information as reported by the World Health Organization (WHO) and the US Centers for Disease Control (CDC):

WHO—*International Travel and Health* (current online update, Country List)

(2020) Malaria risk due predominantly to *P. falciparum* exists throughout the year in the entire country.

- Recommended prevention: **C** – Risk of *P. falciparum* malaria, in combination with reported chloroquine and sulfadoxine–pyrimethamine resistance. Mosquito bite prevention plus atovaquone–proguanil or doxycycline or mefloquine chemoprophylaxis (select according to reported side effects and contraindications) ^a

^aAlternatively, for travel to rural areas with low risk of malaria infection, mosquito bite prevention can be combined with stand-by emergency treatment (SBET).

WHO Country List footnote: When available, the date of the most recent update or confirmation is indicated in parentheses in the country list. If no date is indicated, the most recent update or confirmation was provided before 2013.

CDC—*Health Information for International Travel* (current online edition)

Areas with malaria: All.

- Drug resistance³ : Chloroquine.
- Malaria species: *P. falciparum* 85%, *P. malariae*, *P. ovale*, and *P. vivax* 15% combined.
- Recommended chemoprophylaxis: Atovaquone-proguanil, doxycycline, mefloquine, or tafenoquine.⁴

³ Refers to *P. falciparum* malaria unless otherwise noted.

⁴ Primaquine and tafenoquine can cause hemolytic anemia in people with G6PD deficiency. Patients must be screened for

G6PD deficiency before starting primaquine or tafenoquine. See *Tafenoquine Approved for Malaria Prophylaxis and Treatment* for more information.

Other Concerns

Travelers' Diarrhea

High risk exists throughout the country, including in deluxe accommodations. Community sanitation and food safety measures are generally inadequate. Some itineraries (e.g., remote destinations, austere accommodations) and activities (e.g., ecotourism, eating street or local-market food) further increase risk.

Travelers should observe food and beverage precautions, which reduce the likelihood of illness.

Travelers should carry loperamide for self-treatment of diarrhea and, if risk is moderate to high, an antibiotic to add if diarrhea is severe. Consult a knowledgeable health care provider regarding which antibiotic is appropriate for you and most effective for your destination.

Insect- and Arthropod-Borne Diseases

African trypanosomiasis, chikungunya, dengue, loiasis, onchocerciasis, tick-bite fever, West Nile virus, Zika may pose a risk. Personal protective measures are important.

Other Disease and Health Risks

Additional concerns include Crimean-Congo hemorrhagic fever, helminths, leptospirosis, Marburg virus disease, plague, schistosomiasis, sexually transmitted infections, snakebites, tuberculosis.

Consular Advice

The material below includes information from the US Department of State (DOS), the UK Foreign, Commonwealth & Development Office (FCO), Global Affairs Canada (GAC), and Australia's Department of Foreign Affairs and Trade (DFAT), as well as from additional open-source material. Standard safety precautions that apply to all international travel can be found in the Library article Safety and Security.

Consular Travel Advice

Due to ongoing security concerns, US (DOS), UK (FCO), Canada (GAC), and Australia (DFAT) advise avoiding all travel to this country.

Terrorism Risk

Low risk of attack by transnational terrorist groups exists throughout the country. Targets may include domestic and international organizations and businesses; public places and events, including those frequented by tourists; and transportation systems.

Risk of kidnapping by terrorist groups exists throughout the country. Targets may include foreigners (especially Westerners), journalists, nongovernmental organization workers, missionaries, and aid workers.

Crime

High risk of violent crime (armed robbery) and high risk of petty crime exist throughout the country, especially in Bangui and outlying residential areas.

Scams involving false identity (such as criminals posing as police officers) have been reported.

Civil Unrest

Protests and demonstrations occur throughout the country and have the potential to turn violent without warning. Bystanders are at risk of harm from violence or from the response by authorities. Disruption to transportation, free movement, or the ability to carry out daily activities may occur.

Unsafe Areas

A dangerous security environment exists and armed groups may be present throughout the country, especially in Haut-Mbomou Prefecture.

Transportation Safety

Significant risk of traffic-related injury or death exists. The road traffic death rate is more than 24 per 100,000 population, the highest risk category. Carefully assess the safety of transportation options before any road travel.

Seat belt laws are poorly enforced.

Structural standards for vehicles may not meet international standards.

Natural Disasters

The rainy season is from May through October. Floods, mudslides, and landslides may occur.

Sandstorms and dust storms occur from October through March in northernmost areas.

Consular Information

Selected Embassies or Consulates in Central African Republic

- United States: [+236] 2161-0200; cf.usembassy.gov
- Canada: [+236] 70-50-22-39; travel.gc.ca/assistance/embassies-consulates/central-african-republic
- United Kingdom: U.K. does not have an embassy or consulate in Central African Republic.
- Australia: Australia does not have an embassy or consulate in Central African Republic.

Central African Republic's Embassies or Consulates in Selected Countries

- In the U.S.: rcawashington.org/
- In Canada: Central African Republic does not have an embassy or consulate in Canada.
- In the U.K.: Central African Republic does not have an embassy or consulate in the U.K.
- In Australia: Central African Republic does not have an embassy or consulate in Australia.

Visa/HIV Testing

HIV testing is not required to obtain a tourist, work, or residence visa.

© 2024 Shoreland, Inc. All rights reserved.