

Malawi

Medical Summary

The health risk information presented here is summarized from Shoreland Travax[®], a decision-support tool used by health care providers to perform a detailed health risk analysis based on specific locations, individual travel styles, and traveler risk behaviors. Travax provides practitioners current, independently researched malaria risk and prevention recommendations in a map-based format that goes beyond the annual WHO and US CDC statements included here. Not included here are current reports from Travax of disease outbreaks or environmental events that may pose elevated risks to travelers' health and safety. The Providers section of this site offers a directory of health care providers who utilize Shoreland Travax for travel health counseling. Learn more about the detailed reports and maps available from these practitioners (includes links to samples).

COVID-19

Fully vaccinated: 7.9%

Daily new cases: 0 (7-day rolling average)

Daily new deaths: 0 (7-day rolling average)

CDC Recommendation

Persons not up-to-date on COVID-19 vaccinations should avoid travel to this country; risk is unknown. Persons who are at increased risk for severe illness from COVID-19 (even if up-to-date on COVID-19 vaccinations) should seek informed medical advice and consider delaying travel. All travelers should be up-to-date prior to their trip and follow destination requirements and recommendations. All persons aged ≥ 2 years should wear a well-fitting mask in indoor public spaces.

General Information

Malawi is a developing nation classified as low income. Located in southern Africa (east of Zambia and south of Tanzania), the climate is classified as tropical dry winter in the north and humid equatorial (long dry season) in the south.

Vaccinations

Yellow Fever

Although yellow fever does not occur in Malawi, an official yellow fever vaccination certificate may be required depending on your itinerary.

- *Requirement:* A vaccination certificate is required for travelers aged ≥ 1 year coming from countries with risk of YF transmission. This also applies to airport transit stops (no exit through immigration checkpoint) longer than 12 hours in risk countries.

Other Vaccines

Depending on your itinerary, your personal risk factors, and the length of your visit, your health care provider may offer you vaccination against cholera, hepatitis A, hepatitis B, influenza, measles, mumps, rubella, rabies, typhoid fever, or a one time polio booster if you haven't previously received one for travel. Routine immunizations, such as those that prevent tetanus/diphtheria or "childhood" diseases, should be reviewed and updated as needed.

Malaria

The following is current information as reported by the World Health Organization (WHO) and the US Centers for Disease Control (CDC):

WHO—*International Travel and Health* (current online update, Country List)

(2018) Malaria risk due predominantly to *P. falciparum* exists throughout the year in the entire country.

- Recommended prevention in risk areas: **C** – Risk of *P. falciparum* malaria, in combination with reported chloroquine and sulfadoxine–pyrimethamine resistance. Mosquito bite prevention plus atovaquone–proguanil or doxycycline or mefloquine chemoprophylaxis (select according to reported side effects and contraindications) ^a

^aAlternatively, for travel to rural areas with low risk of malaria infection, mosquito bite prevention can be combined with stand-by emergency treatment (SBET).

WHO Country List footnote: When available, the date of the most recent update or confirmation is indicated in parentheses in the country list. If no date is indicated, the most recent update or confirmation was provided before 2013.

CDC—Health Information for International Travel (current online edition)

Areas with malaria: All.

- Drug resistance³: Chloroquine.
- Malaria species: *P. falciparum* 90%; *P. malariae*, *P. ovale*, and *P. vivax* 10% combined.
- Recommended chemoprophylaxis: Atovaquone-proguanil, doxycycline, mefloquine, or tafenoquine.⁴

³ Refers to *P. falciparum* malaria unless otherwise noted.

⁴ Primaquine and tafenoquine can cause hemolytic anemia in people with G6PD deficiency. Patients must be screened for G6PD deficiency before starting primaquine or tafenoquine. See *Tafenoquine Approved for Malaria Prophylaxis and Treatment* for more information.

Other Concerns

Travelers' Diarrhea

High risk exists throughout the country, including in deluxe accommodations. Food and beverage precautions may reduce the likelihood of illness.

Travelers should carry loperamide for self-treatment of diarrhea and, if risk is moderate to high, an antibiotic to add if diarrhea is severe. Consult a knowledgeable health care provider regarding which antibiotic is appropriate for you and most effective for your destination.

Insect- and Arthropod-Borne Diseases

African trypanosomiasis, dengue, onchocerciasis, tick-bite fever may pose a risk. Personal protective measures are important.

Other Disease and Health Risks

Additional concerns include anthrax disease, helminths, plague, schistosomiasis, sexually transmitted infections, snakebites, tuberculosis.

Consular Advice

The material below includes information from the US Department of State (DOS), the UK Foreign, Commonwealth & Development Office (FCO), Global Affairs Canada (GAC), and Australia's Department of Foreign Affairs and Trade (DFAT), as well as from additional open-source material. Standard safety precautions that apply to all international travel can be found in the Library article Safety and Security.

Terrorism Risk

No intrinsic risk of attack by terrorist groups exists, but unforeseen attacks are possible.

Crime

High risk of violent crime (armed robbery, home invasion, and carjacking) and moderate risk of petty crime exists throughout the country, especially in Lilongwe (particularly on Kenyatta Drive and in the area between Old Town and Capital City), Blantyre, and other cities; on or near public transportation; near Mount Mulanje.

Theft of valuables from unattended accommodations is common.

Scams involving false befriending have been reported.

Risk exists of robberies and/or assaults occurring after consuming intentionally drugged food or drink; tourists are frequently targeted.

Civil Unrest

Protests and demonstrations occur throughout the country and have the potential to turn violent without warning. Bystanders are at risk of harm from violence or from the response by authorities. Disruption to transportation, free movement, or the ability to carry out daily activities may occur.

Unsafe Areas

A dangerous security environment may exist in areas surrounding Mount Mulanje.

Water Safety

Rent water sports equipment from reputable operators. Scuba dive only with personnel certified by PADI or NAUI, and use equipment only from PADI- or NAUI-certified dive operators.

Other Safety Threats

Risk exists for fatal wildlife attacks on safaris and in game parks and reserves. Travelers should closely follow park regulations, always maintain a safe distance from wildlife, and should not exit vehicles or protected enclosures.

Transportation Safety

Significant risk of traffic-related injury or death exists. The road traffic death rate is more than 24 per 100,000 population, the highest risk category. Carefully assess the safety of transportation options before any road travel.

Seat belt laws are poorly enforced.

Drunk driving laws are poorly enforced.

Structural standards for vehicles may not meet international standards.

Natural Disasters

The rainy season is from November through April. Floods, mudslides, and landslides may occur.

Seismic activity frequently occurs.

Consular Information

Selected Embassies or Consulates in Malawi

- United States: [+265] 0-177-3166; mw.usembassy.gov
- Canada: Canada does not have an embassy or consulate in Malawi.
- United Kingdom: [+265] 1-772-027; www.gov.uk/world/organisations/british-high-commission-lilongwe
- Australia: [+265] 0-999-960-120

Malawi's Embassies or Consulates in Selected Countries

- In the U.S.: www.malawiembassy-dc.org
- In Canada: www.madagascar-embassy.ca
- In the U.K.: www.malawihighcommission.co.uk
- In Australia: malawi.com.au

Visa/HIV Testing

HIV testing is not required to obtain a tourist, work, or residence visa.

© 2022 Shoreland, Inc. All rights reserved.