

# Solomon Islands

## Medical Summary

The health risk information presented here is summarized from Shoreland Travax<sup>®</sup>, a decision-support tool used by health care providers to perform a detailed health risk analysis based on specific locations, individual travel styles, and traveler risk behaviors. Travax provides practitioners current, independently researched malaria risk and prevention recommendations in a map-based format that goes beyond the annual WHO and CDC statements included here. Not included here are current reports from Travax of disease outbreaks or environmental events that may pose elevated risks to travelers' health and safety. The Providers section of this site offers a directory of health care providers who utilize Shoreland Travax for travel health counseling. Learn more about the detailed reports and maps available from these practitioners (includes links to samples).

## General Information

Solomon Islands is a developing nation classified as lower middle income. Located in the Pacific Ocean (west of Papua New Guinea), the climate is classified as humid equatorial (no dry season).

## Immunizations

### Yellow Fever

Although yellow fever does not occur in Solomon Islands, an official yellow fever vaccination certificate may be required depending on your itinerary.

- | **Requirement:** A vaccination certificate is required for travelers aged  $\geq 9$  months coming from countries with risk of YF transmission. Note: This does not apply to airport transit stops (no exit through immigration checkpoint) in risk countries.

### Other Vaccines

Depending on your itinerary, your personal risk factors, and the length of your visit, your health care provider may offer you vaccination against hepatitis A, hepatitis B, influenza, measles, mumps, rubella, rabies, or typhoid fever. Routine immunizations, such as those that prevent tetanus/diphtheria or "childhood" diseases, should be reviewed and updated as needed.

## Malaria

The following is current information as reported by the World Health Organization (WHO) and the U.S. Centers for Disease Control (CDC):

### WHO—*International Travel and Health* (current online update, Country List)

(2019) Malaria risk due predominantly to *P. falciparum* exists throughout the year except in a few outlying eastern and southern islets. *P. vivax* resistance to chloroquine has been reported.

- | Recommended prevention in risk areas: **C** – Risk of *P. falciparum* malaria, in combination with reported chloroquine and sulfadoxine–pyrimethamine resistance. Mosquito bite prevention plus atovaquone–proguanil or doxycycline or mefloquine chemoprophylaxis (select according to reported side effects and contraindications) <sup>a</sup>

<sup>a</sup>Alternatively, for travel to rural areas with low risk of malaria infection, mosquito bite prevention can be combined with stand-by emergency treatment (SBET).

WHO Country List footnote: When available, the date of the most recent update or confirmation is indicated in parentheses in the country list. If no date is indicated, the most recent update or confirmation was provided before 2013.

### CDC—*Health Information for International Travel* (current online edition)

Areas with malaria: All.

- | Estimated relative risk of malaria for US travelers: High.
- | Drug resistance<sup>4</sup>: Chloroquine.
- | Malaria species: *P. falciparum* 60%, *P. vivax* 35%-40%, *P. ovale* < 1%.

1 Recommended chemoprophylaxis: Atovaquone-proguanil, doxycycline, or mefloquine.

<sup>4</sup> Refers to *P. falciparum* malaria unless otherwise noted.

## Other Concerns

### Travelers' Diarrhea

High risk exists throughout the country, including in deluxe accommodations. Food and beverage precautions may reduce the likelihood of illness.

Travelers should carry loperamide for self-treatment of diarrhea and, if risk is moderate to high, an antibiotic to add if diarrhea is severe. Consult a knowledgeable health care provider regarding which antibiotic is appropriate for you and most effective for your destination.

### Other Food-Borne Illnesses

Precautions to prevent seafood poisoning may be needed.

### Insect- and Arthropod-Borne Diseases

Dengue, scrub typhus, Zika may pose a risk. Personal protective measures are important.

### Other Disease and Health Risks

Additional concerns include helminths, marine hazards, snakebites, tuberculosis.

## Consular Advice

*The material below includes information from the U.S. Department of State (DOS), U.K. Foreign & Commonwealth Office (FCO), Global Affairs Canada (GAC), and Australia's Department of Foreign Affairs and Trade (DFAT), as well as from additional open-source material. Standard safety precautions that apply to all international travel can be found in the Library article Safety and Security.*

### Terrorism Risk

No intrinsic risk of attack by terrorist groups exists, but unforeseen attacks are possible.

### Crime

Moderate risk of violent crime (armed robbery, home invasion, sexual assault, carjacking, and assault) and moderate risk of petty crime exist throughout the country, especially in Honiara in the months leading up to Christmas or during periods of civil unrest, particularly near nightclubs and bars, on beaches, in markets, on or near public transportation, and in popular tourist sites such as Mbonege Beach.

### Civil Unrest

Protests and demonstrations occur throughout the country and have the potential to turn violent without warning. Bystanders are at risk of harm from violence or from the response by authorities.

### Water Safety

Passenger boats may be unsafe, including ferries traveling between islands. Decline water transportation in vessels that appear overloaded or lack personal flotation devices or life jackets.

Basic safety standards for recreational water activities (including scuba diving, snorkeling, jet-skiing, rafting, and kayaking) may not be in place. Rent water sports equipment from reputable operators. Scuba dive only with personnel certified by PADI or NAUI, and use equipment only from PADI- or NAUI-certified dive operators.

### Transportation Safety

High risk of traffic-related injury or death exists. The road-traffic death rate is 12 to 24 per 100,000 population. The rate is less than 10 in most high-income countries. Speed laws are poorly enforced. Driving at night is not advised. Seek local advice before traveling on roads outside urban areas after dark.

Traffic flows on the left-hand side of the road. Travelers (including drivers and pedestrians) accustomed to traffic moving on the opposite side should be vigilant when navigating traffic.

### Natural Disasters

The cyclone season is from November through May. Floods, mudslides, and landslides may occur.

Seismic and volcanic activity frequently occurs.

### Consular Information

Selected Embassies or Consulates in Solomon Islands

- | United States: The U.S. does not have an embassy or consulate in Solomon Islands.
- | Canada: Canada does not have an embassy or consulate in Solomon Islands.
- | United Kingdom: [+677] 21705; [www.gov.uk/world/organisations/british-high-commission-honiara](http://www.gov.uk/world/organisations/british-high-commission-honiara)
- | Australia: [+677] 21-561; [www.solomonislands.embassy.gov.au](http://www.solomonislands.embassy.gov.au)

Solomon Islands' Embassies or Consulates in Selected Countries

- | In the U.S.: Solomon Islands does not have an embassy or consulate in the U.S.
- | In Canada: [www.siconsulate.com](http://www.siconsulate.com)
- | In the U.K.: [+44] 203-776-128
- | In Australia: [+61] 02-6282-7030

### Visa/HIV Testing

HIV testing is required to obtain a work or residence visa. Travelers, including short-term travelers, may be detained or deported after arrival if found to be positive for HIV or hepatitis.

© 2019 Shoreland, Inc. All rights reserved.